RICOTEST
Notified Body 0498

00763

EU Type Examination Certificate

Date: 2025/11/17 | *n.* **525254701/OE** | Validity: 2028/05/02

This Certificate cancels and replaces the previous one n° 525231805/OE dated 2023/05/03.

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the PPE)	**LEATT CORPORATION** 12, Kiepersol Cresc., Atlas Gardens – Contermanskloof – DURBANVILLE – ZA-7550 CAPE TOWN – SOUTH AFRICA
Type of PPE:	**Neck protector for use by Off-Road motorcyclists/cyclists.**
Category of PPE:	**II** : "medium" risks. This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.
Model	**Neck Brace 4.5** Part nrs.: **10260 102 xx – 103 xx // 10230 501 xx – 502 xx** = total 5 colorways/3 sizes
Description:	**(*) PARTS nrs.** = PRODUCTS INVOLVED in this CE-CERTIFICATE: - 1026010 **210 – 212 = col. GREY** sizes S/M – L/XL – 2XL - 1026010 **260 – 262 = col. ORANGE** sizes " - 1026010 **310 – 312 = col. WHITE** sizes " - 1023050 **150 – 152 = col. RED** sizes " - 1023050 **200 – 202 = col. STEALTH BLACK/GREY** sizes " DESCRIPTION of the **GREY** colorway: construction: two semicircular pieces in grey color glass-reinforced Nylon with white prints and black marked "LEATT". On the right side quick-release system with a red button placed under the neck brace; padding: black EVA foam material; front (in contact with the chest): grey color glass-reinforced Nylon, matched with black EVA foam material; back side (in contact with the back): grey color glass-reinforced Nylon, red marked "FOUR.FIVE", matched with black EVA foam material; fastening system: black elastic strap and transparent polymeric strap fixed to the neck brace by means of a snap button (STRAPS X2). The two straps are fixed to each other with a black polymeric quick lock buckle (STRAPS X4). **For the detailed description of the materials see the following table:**





PICTURES of the AVAILABLE colorways p.3

Model series	Main chassis components	Thoracic Lower	Padding	Attachments	Facing Fabrics
Neck Brace 4.5	Glass-reinforced Nylon	Glass-reinforced Nylon	EVA, PEX	Nylon Velcro	Nylon Lycra & mesh
	Fastenings, circlips and spacers	**Thoracic Upper**	**Rivets**	**Washers**	
	Stainless steel, Anodised aluminium Aluminium 7075	Glass-reinforced Nylon	Galvanised Mild Steel	S/S 316 HDPE	

Technical Standard:	**me-int 088 rev.12** (incorporating also met. 074-00)	Based on partial application of: EN 13688:2013 + EN 1621-2:2014 (neck-brace)
Intended use:	preventive use for off-road motorbike or bicycle (downhill) activities - this neck-brace must always be properly fitted and tightened, and implemented by suitable additional motorcycling equipment (in particular, only in conjunction with a compatible full-face helmet).	

Certificato ue rev07 - 09/05/25

RICOTEST Via Tione, 9 - 37010 Pastrengo (VR) tel: +39 045 7170088 email: ce@ricotest.com P.I. 01491930234

RICOTEST
Notified Body 0498

00763

EU Type Examination Certificate

Date: 2025/11/17 | *n.* **525254701/OE** | Validity: 2028/05/02

Size range:	This collar is available in different sizes: **Small/Medium** + **Large/Extra-Large + 2XL** according to the individual height + "standard" chest girth. (for more detailed explanation, check with the size-chart in the Users' Manual = Information Notice and hang-tag).
Technical File:	**DC-20517/E**
Test report:	**RCT n° 4442077/E**
Functions and performance levels:	To reduce the severity of traumas caused by impacts, the protectors provide limited protection against mechanical impact, including cervical compression and flexion injuries, in case of falls: Method: "Kerbstone" impact testing at 50J with ref. to EN 1621-2 requirements (analogous method) - Obtained values of transmitted force (MAX – requirement: **≤ 18**) = **PASS**; all other test (among which: impact resistance of the quick release system, resistance to impact at 70°C/4 h, tensile strength, resistance to lateral displacement, ergonomics, information sheet: **PASS.** ***NOTE:*** *The protective functions also depend on the correct positioning/adjusting of the protector (in particular on a correct connection with the other protective devices, such as chest/back protectors and helmet) which is not part of this assessment.*
Marking: MANUFACTURER'S BRAND & DETAILED CONTACTS:	printed on different stitched labels or stickers (declared not removable) (other infos like the size-range are on a hang-tag, or directly onto the P.P.E. with a Graphic /Tampo print) – which in conjunction provide the following information: - **CE Marking;** - Trademark / Logo of the Manufacturer + full address of the Manufacturer Headquarters + worldwide official branches) ; - The Model (identification name + codes) of the Brace is on the Brace itself as a Graphic/Tampo print and on stickers; - Year of Manufacturing will be on the serial number sticker directly placed onto the neck-brace; "Made In" etc (see serial nr. sticker shown here-under); - Cleaning instructions are in the information notice; - Warning stickers.

Leatt Corporation

Leatt® Corporation HQ

No 12, Kiepersol Crescent,
Atlas Gardens,
Contermanskloof, Durbanville,
7550, Cape Town, South Africa
Tel: +27 21 557 7257
Fax: +27 21 557 7381

Post

Suite 109, Private Bag X3,
Bloubergrant,7443, South Africa.

MADE IN CHINA

GREY:



RICOTEST Via Tione, 9 - 37010 Pastrengo (VR) tel: +39 045 7170088 email: ce@ricotest.com P.I. 01491930234

RICOTEST
Notified Body 0498

00763

EU Type Examination Certificate


Date: 2025/11/17 *n.* **525254701/OE** Validity: 2028/05/02

PPE item identification, SIZING, PRODUCTION DATE and other infos:



CE-Marking + WARNINGS/ infos:





NEW COLORS RANGE:



Neck Brace 4.5 Grey #S/M - XXL



Neck Brace 4.5 Orange #S/M - XXL



Neck Brace 5.5 White #S/M - XXL



Neck Brace 4.5 Red #S/M - XXL
1023050 (150-152)



Neck Brace 4.5 Stealth Black/Grey #S/M - XXL
1023050 (200-202)

NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements.
The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).

Marco Meyer
Managing Director

RICOTEST Via Tione, 9 - 37010 Pastrengo (VR) tel: +39 045 7170088 email: ce@ricotest.com P.I. 01491930234